
INTRODUCING THE MILLCREEK SS

THE BEST IS STORES OF STREET

EVEN BETTER







The FIRST company to build compact horse manure s

Clean stalls in half the time -

Now you can take the heavy lifting and hard work out of stall cleaning






Dread stall cleaning? That heavy wheelbarrow is so hard to push, and even harder to maneuver out of the barn. Then the mighty backbreaking heave to dump it on the pile. That stinky old fly-infested manure pile!

FORGET ALL THAT – Here's a better way!

Your garden tractor, ATV or utility vehicle pulls a Millcreek Spreader right to the stalls. Or, easily push the Spreader using our exclusive Dolly Wheel Jack Stand.™ With this feature you never have to lift the spreader to move it, even when fully loaded. No need to filter out hay or straw because our spreader handles it all.

With the Spreader attached to your vehicle, you drive to the field or pasture, engage the Feather Touch Levers[™] and presto, you're recycling natural fertilizer. Better yet, you're done with your stall-cleaning chores in less time — leaving you more time to enjoy your horses!





I rely on my Millcreek spreader 365 days a year. I chose a Millcreek for the superior design and after more than eight years of daily use, I can vouch for their quality and reliability.
The spreader just makes life easier! **

- Julie Goodnight, star of Horse Master with Julie Goodnight on RFD-TV

preaders. The ONLY company to build them out of stainless steel.

We've made the

BESTeven BETTER!



The Millcreek SS.... a true innovation in manure spreaders!

What does a stainless steel (Type 304) body mean? Often if the body rusts through, it's time for a new spreader. The new Millcreek SS body is guaranteed not to rust through for LIFE! You'll get worry-free operation, heavy-duty service and durable construction. There's nothing else like it!





What's missing? Grease points!

Millcreek is the first and only spreader manufacturer to offer sealed bearings. A little oil on the drive chain every few months and you're good to go. Save time, and wear and tear on your machine!

The ONLY company to build compact horse manure spreaders out of stainless steel.

Call us today at 1-800-311-1323

to speak directly with a knowledgeable Millcreek salesperson, and find your authorized Millcreek dealer. We build our spreaders right here in our own factory - our customer service is second to none!



MADE IN THE U.S.A.

MADE IN AMERICA

If you're looking for a good old fashioned "made in America" product you've found it with a Millcreek Spreader. We take pleasure in making every Millcreek Spreader by hand from the best materials money can buy.

BEST IN CLASS

Millcreek sets the industry standard for high quality, top value compact spreading equipment. Our Spreaders are engineered and made with the horse lover in mind. Since 1985 we have consistently responded to customer feedback to make Millcreek Spreaders the best in the equine world. Just ask anyone who has one.

Millcreek Spreader Buyer's Guide

1 bushel = 1.24 cubic feet

Model	Number of Horses	Capacity	Equivalent Wheelbarrov Loads	Size Com	Size Comparison		HP Requirement		
15	1–2	8.8 cu. ft.	1.5	21"	O 84"	8 hp min. 250 cc	GARDEN TRACTOR	ATV	UTILITY VEHICLE
22	1–3	16.2 cu. ft.	2.7	25"	98"	10 hp min. 300 cc	GARDEN TRACTOR	ATV	UTILITY VEHICLE
27+	1–4	28 cu. ft.	4.7 Avail	27.5" 46.5"	9'3"	12 hp min. 350 cc	GARDEN TRACTOR	ATV	UTILITY VEHICLE
3 7	4–6	37 cu. ft.	6.2 Avail	27.5° 46.5°	11'3"	15 hp min. 450 cc	GARDEN TRACTOR	ATV	UTILITY VEHICLE
57	5–10	56 cu.ft.	9.3 Avail	34" 58"	11'6"	18 hp min. 500 cc +	COMPACT TRACTOR	ATV	
77	11–20	72 cu. ft.	12 Avail	34" 58"	13'6"	22 hp min.	COMPACT TRACTOR		
97	21+	109 cu. ft.	18 Avail	39° 79° bble	13'6"	25 hp min. (1500 lbs.)	STANDARD TRACTO	1	
127	25+	140 cu. ft.	24 Avail	47.5° 79° 1	13.6"	28 hp min. (1800 lbs.)	STANDARD TRACTOR	3	

Call us at: **1-800-311-1323**

525 Reservoir Road, Honey Brook, PA 19344

MillcreekSpreaders.com

Email us at SalesInfo@MillcreekMfg.com



NJ Dealer: Brodhecker Farm 973-383-3592 BrodheckerFarm.com

